

February 12, 1999; 60/162,506, filed October 29, 1999; 60/170,262, filed December 9, 1999; 60/187,202, filed March 3, 2000, the entire disclosures of which are hereby incorporated by reference.

**In the Claims:**

Please cancel Claims 1-21 without prejudice or disclaimer.

Please add new Claims 22-41 as follows.

- Sub B2
- 22. (New) An isolated nucleic acid having at least 80% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24);
  - (b) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;
  - (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24);
  - (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;
  - (e) the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23);
  - (f) the full-length coding sequence of the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23); or
  - (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203651.
- A2

23. (New) The isolated nucleic acid of Claim 22 having at least 85% nucleic acid sequence identity to:

- Sub B2
- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24);
  - (b) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;

Patent Docket P2930R1C12

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24);

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;

(e) the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23);

(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203651.

24. (New) The isolated nucleic acid of Claim 22 having at least 90% nucleic acid sequence identity to:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24);

(b) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24);

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;

(e) the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23);

(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203651.

Patent Docket P2930R1C12

25. (New) The isolated nucleic acid of Claim 22 having at least 95% nucleic acid sequence identity to:

- sub  
62
- A2  
cont
- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24);
  - (b) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;
  - (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24);
  - (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;
  - (e) the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23);
  - (f) the full-length coding sequence of the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23); or
  - (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203651.

26. (New) The isolated nucleic acid of Claim 22 having at least 99% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;
- (e) the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23);

Patent Docket P2930R1C12

(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203651.

27. (New) An isolated nucleic acid comprising:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24);

(b) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24);

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;

(e) the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23);

(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203651.

28. (New) The isolated nucleic acid of Claim 27 comprising a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24).

29. (New) The isolated nucleic acid of Claim 27 comprising a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide.

Sub 82

30. (New) The isolated nucleic acid of Claim 27 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24).

62 Cont

31. (New) The isolated nucleic acid of Claim 27 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide.

32. (New) The isolated nucleic acid of Claim 27 comprising the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23).

33. (New) The isolated nucleic acid of Claim 27 comprising the full-length coding sequence of the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23).

34. (New) The isolated nucleic acid of Claim 27 comprising the full-length coding sequence of the cDNA deposited under ATCC accession number 203651.

Sub 82

35. (New) An isolated nucleic acid that hybridizes to:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24);

(b) a nucleic acid sequence encoding the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24);

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 17 (SEQ ID NO:24), lacking its associated signal peptide;

(e) the nucleic acid sequence shown in Figure 16 (SEQ ID NO:23);

(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 16 (SEQ

ID NO:23); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203651.

36. (New) The isolated nucleic acid of Claim 35, wherein said hybridization occurs under stringent conditions.

37. (New) The isolated nucleic acid of Claim 35 which is at least 10 nucleotides in length.

38. (New) A vector comprising the nucleic acid of Claim 22.

39. (New) The vector of Claim 38, wherein said nucleic acid is operably linked to control sequences recognized by a host cell transformed with the vector.

40. (New) A host cell comprising the vector of Claim 38.

41. (New) The host cell of Claim 40, wherein said cell is a CHO cell, an *E. coli* or a yeast cell.--